Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II / Regulation (EU) No. 453/2010 - Norway

Date of issue/ Date of revision Date of previous issue Version 02.10.2014 00.00.0000 1.0

1.0

12

1

τ.

VARA

SAFETY DATA SHEET

Kristalon Indigo

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	
Product code	
Product type	

Kristalon Indigo PK97FK

Solid (Crystalline solid.)

<u>1.2</u> Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Industrial distribution. Industrial USE to formulate fertilisers product mixtures. Professional formulation of fertiliser products. Professional USE as fertiliser at Farm - loading and spreading. Professional USE as fertiliser in Greenhouse. Professional USE as liquid fertiliser in open field (e.g. Fertigation). Professional USE as fertiliser - maintenance of equipment.

2

÷

Uses advised against	: Other non-specified industry
Reason	: Due to lack of related experience or data, the supplier
	cannot approve this use.

<u>1.3 Details of the supplier of the safety data sheet</u>

		Yara Norge AS
<u>Address</u>		-
Street		Drammensveien 131
Postal code		0277
City		Oslo
Country	:	Norway
<u>P.O. Box Address</u>		
P.O. Box		343 Skøyen
Postal code		0213
City		Oslo
Country		Norway
Telephone number		+47 24 15 71 10
Fax no.		+47 24 15 71 83
e-mail address of person		sds.landbruk@yara.com
responsible for this SDS		

<u>1.4 Emergency telephone number</u>

National advisory body/Poison	Cent	ter_
Name	1	Giftinformasjonen (Poison Center)
Telephone number	1	+47 22 59 13 00
Hours of operation	1	24h
<u>Supplier</u> Telephone number Hours of operation	:	+47 21 03 44 52 (7/24)

SECTION 2: Hazards identification

2.1 Classification of the substan	ce c	or mixture
Product definition	10	Mixture
Classification according to Regu	ulati	on (EC) No. 1272/2008 [CLP/GHS]
Classification	10	Ox. Sol. 3, H272
Classification according to Direct		
The product is classified as danger	rous	according to Directive 1999/45/EC and its amendments.
Classification	:	O, R8

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms	:	
		\checkmark
Signal word	:	Warning
Hazard statements	:	May intensify fire; oxidizer.
Precautionary statements		
Prevention	:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store away from combustible materials and chemicals.
Response	:	In case of fire: Use flooding quantities of water to extinguish.
EU Regulation (EC) No. 1907/2006 (REACH) Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirements	<u>.</u>	
Containers to be fitted with	:	Not applicable.
Date of issue : 02.10.2014		Page:2/17

child-resistant fastenings Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006,	:	Not applicable.
Annex XIII Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006,	:	Not applicable.
Annex XIII Other hazards which do not result in classification	:	Product forms slippery surface when combined with water.

SECTION 3: Composition/information on ingredients

	3.2	Mixtures
--	-----	-----------------

Mixture

2

Product / ingredient			<u>C</u>	lassification	
name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
sodium hydrogen [N,N-bis[2-[bis(carbox ymethyl)amino]ethyl] glycinato(5-)]ferrate(2 -)	RRN: Not available. EC: 235-627-0 CAS : 12389-75-2	1 - 3	Not classified.	Not classified.	[1][2]
boric acid	RRN: 01-2119486683- 25 EC: 233-139-2 CAS : 10043-35-3 Index: 005-007-00-2	0 - <5,5	T; Repr.Cat.2; R60 R61	Repr. 1B H360 H360	[1]

<u>Type</u>

[1] Substance classified with a physical, health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

See Section 16 for the full text of the R phrases or H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Date of issue : 02.10.2014

Eye contact	:	Immediately flush eyes with plenty of water for at least 15 minutes, keeping eyelids open. Remove contact lenses, if present and easy to do. Get medical attention.
Inhalation	:	If inhaled, remove to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Get medical attention if adverse health effects persist or are severe.
Skin contact	:	Wash with soap and water. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if adverse health effects persist or are severe.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
4.2 Most important symptoms ar	<u>nd e</u>	ffects, both acute and delayed
Potential acute health effects Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Date of issue : 02.10.2014		Page:4/17

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use flooding quantities of water for extinction.
Unsuitable extinguishing media	:	Do NOT use chemical extinguisher or foam or attempt to smother the fire with steam or sand.
5.2 Special hazards arising from	the	substance or mixture
Hazards from the substance or mixture	:	Oxidizing material. May intensify fire. The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides. It has high resistance to detonation. Heating under strong confinement can lead to explosive behaviour.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: nitrogen oxides phosphorus oxides Avoid breathing dusts, vapors or fumes from burning materials. In case of inhalation of decomposition products in a fire, symptoms may be delayed.
5.3 Advice for firefighters		
Special precautions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Additional information	:	None.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take
Date of issue : 02.10.2014		Page:5/17

6.2 Environmental precautions :	note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant
	authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for cont	ainment and cleaning up
Small spill :	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Material free from contamination can be used for its original purpose.
Large spill :	Immediately contact emergency personnel. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other : sections	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures :	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from clothing, incompatible materials and combustible materials. Keep away from heat. Empty containers retain product residue and can be hazardous. Do not reuse container. Product forms slippery surface when combined with water.	
Advice on general : occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.	
7.2 Conditions for safe storage, including any incompatibilities		

Recommendations	:	Store in accordance with local regulations. Store in original
		container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see

section 10) and food and drink. Separate from reducing agents and combustible materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

Seveso II Directive - Reporting thresholds

Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
Potassium nitrate	1.250 t	5.000 t
Potassium nitrate	1.250 t	5.000 t

7.3 Specific end use(s)

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product / ingredient name	Exposure limit values
sodium hydrogen [N,N-bis[2-[bis(carboxymethyl)amino]ethyl]glycinato(5-)]ferr ate(2-)	FOR-2011-12-06-1358 (1996-02-01) Time Weighted Average (TWA) 1 mg/m3 _(Calculated as Fe)
Recommended monitoring procedures	 If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.
8.2 Exposure controls	
Appropriate engineering controls	: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing. A washing facility or water for eye and skin cleaning purposes should be present.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin protection Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. > 8 hours (breakthrough time): Protective gloves should be worn under normal conditions of use.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Physical state Color Odor Odor threshold pH Melting point/freezing point Initial boiling point and boiling range Flash point		Solid (Crystalline solid.) White to yellowish. Yellowish-brown. Odorless. Not determined. Not determined Not determined Not determined
•		
Evaporation rate	1	Not determined

Flammability (solid, gas)

: Non-flammable.

Upper/lower flammability or explosive limits Vapor pressure Vapor density Relative density Bulk density Solubility(ies)	 Lower: Not determined Upper: Not determined Not determined Not determined Not determined Not determined Easily soluble in the following materials: cold water
Partition coefficient: n-octanol/water	: Not determined
Auto-ignition temperature	: Not determined
Viscosity	: Dynamic: Not determined Kinematic: Not determined
Explosive properties	: None.
Oxidizing properties	: Oxidizer

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
<u>10.3</u> Possibility of hazardous reactions	:	Hazardous reactions or instability may occur under certain conditions of storage or use. Conditions may include the following: contact with combustible materials Reactions may include the following: risk of causing or intensifying fire
10.4 Conditions to avoid	:	No specific data.
10.5 Incompatible materials	:	Reactive or incompatible with the following materials: acids alkalis combustible materials reducing materials organic materials
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

<u>11.1</u> Information on toxicological effects

Acute toxicity

Product / ingredient name	Result	Species	Dose	Exposure	References
sodium hydrogen [N,N-bis[2-[bis(carboxymethyl)amino]ethyl]glycinato(5-)]ferrate(2-)					

1			_			Γ
	LD50	Oral	Rat	> 2.000 mg/kg	-	
	LD50	Dermal	Rat	> 2.000 mg/kg	-	
boric acid	LD50	Oral	Rat	2.660 mg/kg	-	HBPTO* 2,1413,2001
1	LD50	Oral	Rat	2.500 mg/kg	-	HBPTO* 2,1430,2001
	LC50 Inhalat	ion	Rat	2 mg/l	-	
	LD50	Dermal	Rabbit	> 2.000 mg/kg	-	
Conclusion/Summa	ary	:	No knowr	significant effects	s or critical hazard	ds.
Irritation/Corrosion						
Conclusion/SummarySkin: No known significant effects or critical hazards.Eyes: No known significant effects or critical hazards.Respiratory: No known significant effects or critical hazards.Sensitization			ds.			
Conclusion/Summa Skin Respiratory						
Mutagenicity						
Conclusion/Summary : No known significant effects or critical hazards.			ds.			
Carcinogenicity						
Conclusion/Summary : No known significant effects or critical hazards.				ds.		
Reproductive toxici	<u>ity</u>					
Conclusion/Summa	ary	:	No knowr	significant effects	s or critical hazard	ds.
Teratogenicity						
Conclusion/Summa	ary	:	No knowr	significant effects	s or critical hazard	ds.
Information on the routes of exposure	likely	:	No knowr	significant effects	s or critical hazard	ds.
Potential acute health effects						
Inhalation		:		to decomposition erious effects may		
Ingestion		:	No knowr	significant effects	s or critical hazard	ds.
Skin contact		:	No knowr	significant effects	s or critical hazard	ds.
Eye contact	Eye contact : No known significant effects or critical hazards.					
Symptoms related to the physical, chemical and toxicological characteristics						

		Kristalon Indigo
Inhalation	:	No specific data.
Ingestion	:	No specific data.
Skin contact	:	No specific data.
Eye contact	:	No specific data.
	and	also chronic effects from short and long term exposure
<u>Short term exposure</u> Potential immediate effects	:	No known significant effects or critical hazards.
Potential delayed effects	:	No known significant effects or critical hazards.
Long term exposure Potential immediate effects	:	No known significant effects or critical hazards.
Potential delayed effects	:	No known significant effects or critical hazards.
Potential chronic health effects	<u>5</u>	
Conclusion/Summary	:	No known significant effects or critical hazards.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

SECTION 12: Ecological information

2

2

12.1 Toxicity

Product / ingredient	Result	Species	Exposure	References
name				
sodium hydrogen [N,N-	bis[2-[bis(carboxymetl	nyl)amino]ethyl]gly	cinato(5-)]ferrate((2-)
	Acute EC50 100,9 mg/l	Aquatic invertebrates. Water flea	48 h	Read-across
	Acute NOEC 69,9 mg/l	Aquatic plants	72 h	Read-across
boric acid				
	Acute EC50 226 mg/l Fresh water	Aquatic invertebrates. Water flea	2 d	Environmental Fate and Effects Division, U.S.EPA, Washington, D.C.

Conclusion/Summary

No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary

No known significant effects or critical hazards.

12.3 Bioaccumulative potential

Product / ingredient name	LogPow	BCF	Potential	References
boric acid	0,175-1,09	-	low	
Conclusion/Summary	: 1	No known signif	ficant effects or critical	hazards.
<u>12.4 Mobility in soil</u>				
Soil/water partition coe (KOC)	fficient : I	Not available.		
Mobility	: 1	Not available.		
12.5 Results of PBT and vPvB assessment				
РВТ	: 1	Not applicable.		
vPvB	: 1	Not applicable.		
12.6 Other adverse effe	ects : I	No known signi	ficant effects or critical	hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

:	The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
:	The classification of the product may meet the criteria for a hazardous waste.
:	The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Empty the bag by shaking to remove as much as possible of its contents. Empty bags may be disposed of as non-hazardous material or returned for recycling.
:	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
	: :

SECTION 14: Transport information

Regulation: ADR/RID	
14.1 UN number	1479
14.2 UN proper shipping name	OXIDIZING SOLID, N.O.S. (Potassium nitrate,)
14.3 Transport hazard class(es)	5.1
14.4 Packing group	
14.5 Environmental hazards	No.
14.6 Additional information	
Hazard identification number	: 50
<u>Tunnel code</u>	: (E)

Regulation: ADN	
14.1 UN number	1479
14.2 UN proper shipping name	OXIDIZING SOLID, N.O.S. (Potassium nitrate,)
14.3 Transport hazard class(es)	5.1
14.4 Packing group	
14.5 Environmental hazards	No.
14.6 Additional information	
Marine pollutant	: No.
<u>Danger code</u>	Not applicable.

Regulation: IMDG	
14.1 UN number	1479
14.2 UN proper shipping name	OXIDIZING SOLID, N.O.S. (Potassium nitrate,)
14.3 Transport hazard class(es)	5.1
14.4 Packing group	
14.5 Environmental hazards	
14.6 Additional information	
Emergency schedules (EmS)	: F-A, S-Q

Regulation: IATA		
14.1 UN number	1479	
14.2 UN proper shipping name	OXIDIZING SOLID, N.O.S. (Potassium nitrate,)	
14.3 Transport hazard class(es)	5.1	

	5.1
14.4 Packing group	III
14.5 Environmental hazards	
14.6 Additional information	

<u>14.7</u> Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

14.8 IMSBC

: Not available.

SECTION 15: Regulatory information

<u>15.1</u> Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization				
Substances of very high concern:				
Other EU regulations				
Europe inventory	10	All components are listed or exempted.		
Integrated pollution prevention	1	Not listed		
and control list (IPPC) - Air				
Integrated pollution prevention	1	Not listed		
and control list (IPPC) - Water				

Seveso II Directive

This product is controlled under the Seveso II Directive.

Danger criteria

Category			
Potassium r	nitrate		
Potassium r	nitrate		

National regulations

Product / ingredient name	Carcinogenic effects	Mutagenic effects	Developmental effects	Fertility effects
boric acid			Repr.Cat.2; R60 R61	Repr.Cat.2; R60 R61
Notes	:	To our knowledge regulations are ap	e no other country or sta	ate specific

15.2 Chemical Safety	:
Assessment	

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative bw = Body weight EU REACH IUCLID5 CSR. Key literature references and 2 sources for data National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances. IHS, 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada.Regulation (EC) No 1272/2008 Annex VI.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification
Ox. Sol. 3, H272		Expert judgment
Full text of abbreviated H statements	: H272 M H360FD child.	May intensify fire; oxidizer. May damage fertility. May damage the unborn
Full text of classifications [CLP/GHS]		3, H272 : OXIDIZING SOLIDS - Category 3 360FD : TOXIC TO REPRODUCTION
Full text of abbreviated R phrases	R60- May R61- May	act with combustible material may cause fire. / impair fertility. / cause harm to the unborn child. nful by inhalation.
Full text of classifications [DSD/DPD]	: O - Oxidiz Repr.Cat. Xn - Harn	2 - Toxic to reproduction category 2
Revision comments	: See Sect	on 1 for supplier contact information.
Date of printing Date of issue/ Date of revision Date of previous issue Version Prepared by		4 00 duct Classifications & Regulations.
Indicates information that h	as changed fro	m previously issued version.

Notice to reader

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein, since all materials may represent unknown hazards and should be used with caution. Final determination of the suitability of any material is the sole responsibility of the user.



Annex to the extended Safety Data Sheet (eSDS) -Exposure Scenario:

Identification of the substance or mixture

Product definition	-	Mixture
Product name	:	Kristalon Indigo
Exposure Scenario information	:	Not yet complete.