

Date of issue/ Date of revision : 22.12.2015
Date of previous issue : 00.00.0000
Version : 1.0



SAFETY DATA SHEET

YaraMila NPK 24-4-7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : YaraMila NPK 24-4-7
Product code : PJ271G
Product type : Solid (granulates)

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses |
|---|
| Industrial distribution. Industrial USE to formulate chemical product mixtures. Professional formulation of fertiliser products. Professional USE as fertiliser at Farm - loading and spreading. Professional USE as fertiliser in Greenhouse. Professional USE as liquid fertiliser in open field (e.g. Fertigation). Professional USE as fertiliser - maintenance of equipment. |

Uses advised against : None identified.

1.3 Details of the supplier of the safety data sheet

Yara Norge AS

Address

Street : Drammensveien 131
Postal code : 0277
City : Oslo
Country : Norway

P.O. Box Address

P.O. Box : 343 Skøyen
Postal code : 0213
City : Oslo
Country : Norway
Telephone number : +47 24 15 71 10
Fax no. : +47 24 15 71 83
e-mail address of person responsible for this SDS : sds.landbruk@yara.com

1.4 Emergency telephone number

National advisory body/Poison Center

Name : Giftinformasjonen (Poison Center)

Telephone number : +47 22 59 13 00
Hours of operation : 24h

Supplier

Telephone number : +47 21 03 44 52
Hours of operation : (7/24)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification : Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above.
See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : No signal word.

Hazard statements : Not applicable.

Precautionary statements

General : Not applicable.

Supplemental label elements : Safety data sheet available on request.

EU Regulation (EC) No. 1907/2006 (REACH) Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Applicable, Table 58.

Special packaging requirements

Containers to be fitted with child-resistant fastenings : Not applicable.

Tactile warning of danger : Not applicable.

2.3 Other hazards

Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII : Not applicable.

Substance meets the criteria : Not applicable.

for vPvB according to
Regulation (EC) No. 1907/2006,
Annex XIII

Other hazards which do not result in classification : Product forms slippery surface when combined with water.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

| Product / ingredient name | Identifiers | % | Classification | | Type |
|--------------------------------------|---|---------------|--------------------|--|--------|
| | | | 67/548/EEC | Regulation (EC) No. 1272/2008 [CLP] | |
| ammonium nitrate | RRN: 01-2119490981-27 EC: 229-347-8 CAS : 6484-52-2 | >=50 - <65 | O; R8 Xi; R36 | Ox. Sol. 3 H272 Eye Dam./Irrit. 2 H319 | [1] |
| Potassium nitrate | RRN: 01-2119488224-35 EC: 231-818-8 CAS : 7757-79-1 | >=7 - <10 | O; R8 | Ox. Sol. 3 H272 | [1] |
| ammonium chloride | RRN: 01-2119489385-24 EC: 235-186-4 CAS : 12125-02-9 Index: 017-014-00-8 | >=5 - <7 | Xn; R22 Xi; R36 | Acute Tox. 4 H302 (ORAL) Eye Dam./Irrit. 2 H319 | [1][2] |
| Calcium fluoride (CaF ₂) | RRN: 01-2119491248-30 EC: 232-188-7 CAS : 7789-75-5 | >=1 - <2 | Not classified. | Not classified. | [2] |

Type

[1] Substance classified with a physical, health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

See Section 16 for the full text of the R phrases or H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Rinse with plenty of running water. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Wash with soap and water. Get medical attention if irritation develops.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if adverse health effects persist or are severe.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : Use flooding quantities of water for extinction.
- Unsuitable extinguishing media** : Do NOT use chemical extinguisher or foam or attempt to smother the fire with steam or sand.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides and ammonia.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
 nitrogen oxides
 ammonia
 sulfur oxides
 phosphorus oxides
 halogenated compounds
 metal oxide/oxides
 Avoid breathing dusts, vapors or fumes from burning materials.
 In case of inhalation of decomposition products in a fire, symptoms may be delayed.

5.3 Advice for firefighters

- Special precautions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
- Additional information** : None.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Recommendations : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector specific solutions : Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

| Product / ingredient name | Exposure limit values |
|--------------------------------------|--|
| ammonium chloride | FOR-2011-12-06-1358 (1996-02-01) Time Weighted Average (TWA) 10 mg/m ³ |
| Calcium fluoride (CaF ₂) | FOR-2011-12-06-1358 (2010-10-15) Time Weighted Average (TWA) 0,5 mg/m ³ (expressed as F) EU OEL (2000-06-01) Time Weighted Average (TWA) 2,5 mg/m ³ |

Recommended monitoring procedures

- : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Reference should be made to monitoring standards, such as the following:
European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy)
European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents)
European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents)
Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

| Product / ingredient name | Type | Exposure | Value | Population | Effects |
|---------------------------|------|----------------------|------------------------|------------|----------|
| ammonium nitrate | DNEL | Long term Dermal | 21,3 mg/kg bw/day | Workers | Systemic |
| ammonium nitrate | DNEL | Long term Inhalation | 37,6 mg/m ³ | Workers | Systemic |
| Potassium nitrate | DNEL | Long term Dermal | 20,8 mg/kg bw/day | Workers | Systemic |
| Potassium nitrate | DNEL | Long term Inhalation | 36,7 mg/m ³ | Workers | Systemic |
| Potassium nitrate | DNEL | Long term Dermal | 12,5 mg/kg bw/day | Consumers | Systemic |
| Potassium nitrate | DNEL | Long term Inhalation | 10,9 mg/m ³ | Consumers | Systemic |
| Potassium nitrate | DNEL | Long term Oral | 12,5 mg/kg bw/day | Consumers | Systemic |
| ammonium chloride | DNEL | Long term Dermal | 190 mg/kg bw/day | Workers | Systemic |
| ammonium chloride | DNEL | Long term Inhalation | 33,5 mg/m ³ | Workers | Systemic |
| Calcium fluoride | DNEL | Long term | 5 mg/m ³ | Workers | Systemic |

| | | | | |
|---------------------|--|------------|--|--|
| (CaF ₂) | | Inhalation | | |
|---------------------|--|------------|--|--|

PNECs

| Product / ingredient name | Type | Compartment Detail | Value | Method Detail |
|--------------------------------------|------|------------------------|-----------------|--------------------|
| ammonium nitrate | PNEC | Fresh water | 0,45 mg/l | Assessment Factors |
| ammonium nitrate | PNEC | Marine water | 0,045 mg/l | Assessment Factors |
| ammonium nitrate | PNEC | Intermittent release | 4,5 mg/l | Assessment Factors |
| ammonium nitrate | PNEC | Sewage Treatment Plant | 18 mg/l | Assessment Factors |
| Potassium nitrate | PNEC | Marine | 0,045 mg/l | Assessment Factors |
| Potassium nitrate | PNEC | Intermittent release | 4,5 mg/l | Assessment Factors |
| Potassium nitrate | PNEC | Sewage Treatment Plant | 18 mg/l | Assessment Factors |
| Potassium nitrate | PNEC | Fresh water | 0,45 mg/l | Assessment Factors |
| ammonium chloride | PNEC | Fresh water | 1,2 mg/l | Assessment Factors |
| ammonium chloride | PNEC | Marine water | 0,12 mg/l | Assessment Factors |
| ammonium chloride | PNEC | Intermittent release | 1,2 mg/l | Assessment Factors |
| ammonium chloride | PNEC | Soil | 0,163 mg/kg dwt | Assessment Factors |
| ammonium chloride | PNEC | Sewage Treatment Plant | 16,2 mg/l | Assessment Factors |
| Calcium fluoride (CaF ₂) | PNEC | Fresh water | 0,9 mg/l | Assessment Factors |
| Calcium fluoride (CaF ₂) | PNEC | Soil | 11 mg/kg dwt | Assessment Factors |
| Calcium fluoride (CaF ₂) | PNEC | Sewage Treatment Plant | 51 mg/l | Assessment Factors |

8.2 Exposure controls**Appropriate engineering controls**

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures**Hygiene measures**

- : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing. A washing facility or water for eye and skin cleaning purposes should be present.

Eye/face protection

- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection**Hand protection**

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when

- handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

- Physical state** : Solid (granulates)
- Color** : Brown. Gray.
- Odor** : Odorless.
- Odor threshold** : Not determined.
- pH** : 4 - 5 [Conc. (% w/w): 100,5 g/l]

Melting point/freezing point : Not determined

Initial boiling point and boiling range : Not determined

Flash point : Not determined

Evaporation rate : Not determined

Flammability (solid, gas) : Non-flammable.

Upper/lower flammability or explosive limits : **Lower:** Not determined
Upper: Not determined

Vapor pressure : Not determined

Vapor density : Not determined

Relative density : Not determined

Bulk density : Not determined

Partition coefficient: n-octanol/water : Not determined

Auto-ignition temperature : Not determined

Viscosity : **Dynamic:** Not determined
Kinematic: Not determined

Explosive properties : None.

Oxidizing properties : None.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

- 10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : Avoid contamination by any source including metals, dust and organic materials.
- 10.5 Incompatible materials** :
alkalis
combustible materials
reducing materials
organic materials
acids
- 10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product / ingredient name | Result | Species | Dose | Exposure | References |
|--------------------------------------|-----------------|---------|---------------------------|----------|------------|
| ammonium nitrate | | | | | |
| | LD50 Oral | Rat | 2.950 mg/kg OECD 401 | - | IUCLID 5 |
| | LD50 Dermal | Rat | > 5.000 mg/kg OECD 402 | - | IUCLID 5 |
| Potassium nitrate | | | | | |
| | LD50 Oral | Rat | > 2.000 mg/kg | - | IUCLID 5 |
| | LD50 Dermal | Rat | > 5.000 mg/kg | - | IUCLID 5 |
| ammonium chloride | | | | | |
| | LD50 Oral | Rat | 1.410 mg/kg | - | IUCLID 5 |
| | LD50 Dermal | Rat | > 2.000 mg/kg | - | IUCLID 5 |
| Calcium fluoride (CaF ₂) | | | | | |
| | LD50 Oral | Rat | > 2.000 mg/kg | - | ICULID 5 |
| | LC50 Inhalation | Rat | 5,07 mg/l OECD 403 | 4 h | ICULID 5 |

Conclusion/Summary : No known significant effects or critical hazards.

Acute toxicity estimates

| Route | ATE value |
|-------|-----------|
|-------|-----------|

| | |
|------|----------------|
| Oral | 21.044,8 mg/kg |
|------|----------------|

Irritation/Corrosion

| Product / ingredient name | Result | Species | Score | Exposure | Observation | References |
|---------------------------|----------------------------------|---------|-------|----------|-------------|--------------------|
| Mixture | Eyes - Non-irritating . OECD 405 | Rabbit | < 1 | 1 - 48 h | 14 d | Fertilizers Europe |
| ammonium nitrate | Eyes - Irritant OECD 405 | Rabbit | | | - | IUCLID 5 |
| Potassium nitrate | Skin - Non-irritating . OECD 404 | Rabbit | 0 | | 72 h | IUCLID 5 |
| ammonium chloride | Eyes - Irritant | Rabbit | | | - | IUCLID 5 |

Conclusion/Summary

Skin : Non-irritating.
Eyes : Non-irritating.
Respiratory : Non-irritating.

Sensitization**Conclusion/Summary_**

Skin : No known significant effects or critical hazards.
Respiratory : No known significant effects or critical hazards.

Mutagenicity

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

| Product / ingredient name | Maternal toxicity | Fertility | Development toxin | Species | Dose | Exposure | References |
|---------------------------|-------------------|-----------|-------------------|---------|-------------------------------------|----------|------------|
| ammonium nitrate | - | Negative | Negative | Rat | Oral : > 1500 mg/kg bw/day OECD 422 | 28 days | IUCLID 5 |
| Potassium nitrate | Negative | Negative | Negative | Rat | Oral : > 1500 mg/kg bw/day OECD 422 | 28 days | IUCLID 5 |
| ammonium chloride | - | Negative | Negative | Rat | Oral : 1500 mg/kg bw/day | | IUCLID 5 |

Conclusion/Summary : No known significant effects or critical hazards.

Teratogenicity

Conclusion/Summary : No known significant effects or critical hazards.

Information on the likely routes of exposure : No known significant effects or critical hazards.

Potential acute health effects

Inhalation : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Ingestion : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Eye contact : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : No specific data.

Ingestion : No specific data.

Skin contact : No specific data.

Eye contact : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure**Short term exposure**

Potential immediate effects : No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Long term exposure

Potential immediate effects : No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Potential chronic health effects

| Product / ingredient name | Result | Species | Dose | Exposure | References |
|---------------------------|---|---------------|-------------------------|-------------------------------|------------|
| ammonium nitrate | Chronic NOAEL Oral | Rat | 256 mg/kg OECD 422 | 28 days | IUCLID 5 |
| | Sub-acute No-observable -effect-concentration Dusts and mists Inhalation | Rat | > 185 mg/kg OECD 412 | 2 weeks 5 hours per day | IUCLID 5 |
| Potassium nitrate | Sub-acute NOAEL Oral | Rat | > 1.500 mg/kg | 28 days | IUCLID 5 |
| ammonium chloride | Sub-chronic NOAEL Oral | Rat - Male | 684 mg/kg | 10 weeks | IUCLID 5 |

Conclusion/Summary : No known significant effects or critical hazards.

| | | |
|------------------------------|---|---|
| General | : | No known significant effects or critical hazards. |
| Carcinogenicity | : | No known significant effects or critical hazards. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Teratogenicity | : | No known significant effects or critical hazards. |
| Developmental effects | : | No known significant effects or critical hazards. |
| Fertility effects | : | No known significant effects or critical hazards. |

SECTION 12: Ecological information

12.1 Toxicity

| Product / ingredient name | Result | Species | Exposure | References |
|---|--|-----------------------------------|----------|------------|
| ammonium nitrate | | | | |
| | Acute LC50 447 mg/l Fresh water | Fish - Fish | 48 h | IUCLID 5 |
| | Acute EC50 490 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h | IUCLID 5 |
| | Acute EC50 1.700 mg/l Salt water | Aquatic plants - Algae | 10 d | IUCLID 5 |
| Potassium nitrate | | | | |
| | Acute LC50 1.378 mg/l Fresh water OECD 203 | Fish - Fish | 96 h | IUCLID 5 |
| | Acute EC50 490 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h | IUCLID 5 |
| | Acute EC50 > 1.700 mg/l Fresh water | Aquatic plants - Algae | 240 h | IUCLID 5 |
| ammonium chloride | | | | |
| | Acute LC50 174 mg/l Marine water | Fish - Fish | 96 h | IUCLID 5 |
| | Acute LC50 209 mg/l Fresh water | Fish - Fish | 96 h | IUCLID 5 |
| | Acute EC50 101 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h | IUCLID 5 |
| | Acute EC50 90,4 mg/l Marine water | Aquatic plants - Algae | 10 d | IUCLID 5 |
| | Acute EC50 1.300 mg/l Fresh water | Aquatic plants - Green algae | 5 d | IUCLID 5 |
| Calcium fluoride (CaF₂) | | | | |
| | Acute EC50 26 mg/l Fresh water | Aquatic invertebrates. Water flea | 96 h | IUCLID 5 |
| | Acute EC50 10,5 mg/l Marine water | Aquatic invertebrates. Water flea | 96 h | IUCLID 5 |
| | Acute EC50 43 mg/l Fresh water | Aquatic plants - Algae | 96 h | IUCLID 5 |
| | Acute EC50 81 mg/l Marine water | Aquatic plants - Algae | 96 h | IUCLID 5 |

Conclusion/Summary : No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary : No known significant effects or critical hazards.

| Product / ingredient name | Aquatic half-life | Photolysis | Biodegradability | References |
|--------------------------------------|-------------------|------------|--|------------|
| ammonium nitrate | | | | |
| | | | Not relevant for inorganic substances. | |
| ammonium chloride | | | | |
| | | | Not relevant for inorganic substances. | |
| Calcium fluoride (CaF ₂) | | | | |
| | | | Not relevant for inorganic substances. | |

12.3 Bioaccumulative potential

| Product / ingredient name | LogPow | BCF | Potential | References |
|---------------------------|--------|-----|-----------|------------|
| ammonium chloride | -3,2 | - | low | |

Conclusion/Summary : No known significant effects or critical hazards.

12.4 Mobility in soil

Soil/water partition coefficient (KOC) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

European waste catalogue (EWC)

| Waste code | Waste designation |
|------------|--------------------------------|
| 06 10 99 | wastes not otherwise specified |

Packaging

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Empty the bag by shaking to remove as much as possible of its contents. Empty bags may be disposed of as non-hazardous material or returned for recycling.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulation: ADR/RID

| | |
|---------------------------------|----------------|
| 14.1 UN number | Not regulated. |
| 14.2 UN proper shipping name | |
| 14.3 Transport hazard class(es) | |
| 14.4 Packing group | |
| 14.5 Environmental hazards | No. |
| 14.6 Additional information | |

Regulation: ADN

| | |
|---------------------------------|-------------------|
| 14.1 UN number | Not regulated. |
| 14.2 UN proper shipping name | |
| 14.3 Transport hazard class(es) | |
| 14.4 Packing group | |
| 14.5 Environmental hazards | No. |
| 14.6 Additional information | |
| <u>Danger code</u> | : Not applicable. |

Regulation: IMDG

| | |
|---------------------------------|----------------|
| 14.1 UN number | Not regulated. |
| 14.2 UN proper shipping name | |
| 14.3 Transport hazard class(es) | |
| 14.4 Packing group | |
| 14.5 Environmental hazards | No. |
| 14.6 Additional information | |
| <u>Marine pollutant</u> | : No. |

| | |
|--|----------------|
| Regulation: IATA | |
| 14.1 UN number | Not regulated. |
| 14.2 UN proper shipping name | |
| 14.3 Transport hazard class(es) | |
| 14.4 Packing group | |
| 14.5 Environmental hazards | No. |
| 14.6 Additional information | |
| Marine pollutant | No. |

Remark : A NPK fertilizer not liable to self-sustaining exothermic decomposition according to the S.1 trough test as defined in the recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, part III, section 38.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

14.8 IMSBC

Bulk cargo shipping name : AMMONIUM NITRATE BASED FERTILIZER (non-hazardous)
Class : Not applicable.
Group : C
Marpol V : Non-HME

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

None of the components are listed.

Substances of very high concern: None of the components are listed.

Other EU regulations

Europe inventory : All components are listed or exempted.
Integrated pollution prevention and control list (IPPC) - Air : Listed

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

Notes : To our knowledge no other country or state specific regulations are applicable.

15.2 Chemical Safety Assessment : This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation
 [Regulation (EC) No. 1272/2008]
 DNEL = Derived No Effect Level
 DMEL = Derived Minimal Effect Level
 EUH statement = CLP-specific Hazard statement
 PNEC = Predicted No Effect Concentration
 RRN = REACH Registration Number
 PBT = Persistent, Bioaccumulative and Toxic
 vPvB = Very Persistent and Very Bioaccumulative
 bw = Body weight

Key literature references and sources for data : EU REACH IUCLID5 CSR.
 National Institute for Occupational Safety and Health, U.S.
 Dept. of Health, Education, and Welfare, Reports and
 Memoranda Registry of Toxic Effects of Chemical
 Substances.
 IHS, 4777 Levy Street, St Laurent, Quebec HAR 2P9,
 Canada. Regulation (EC) No 1272/2008 Annex VI.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|-----------------|--|
| Not classified. | On basis of test data. Bridging principle "Substantially similar mixtures" |

Full text of abbreviated H statements : H272 May intensify fire; oxidiser.
 H302 (oral) Harmful if swallowed.
 H319 Causes serious eye irritation.

Full text of classifications [CLP/GHS] : **Ox. Sol. 3, H272:** OXIDIZING SOLIDS - Category 3
Acute Tox. 4, H302: ACUTE TOXICITY (oral) - Category 4
Eye Dam./Irrit. 2, H319: SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Full text of abbreviated R phrases : R8- Contact with combustible material may cause fire.
 R22- Harmful if swallowed.
 R36- Irritating to eyes.

Full text of classifications [DSD/DPD] : O - Oxidizing
 Xn - Harmful
 Xi - Irritant

Date of printing : 28.12.2015
Date of issue/ Date of revision : 22.12.2015
Date of previous issue : 00.00.0000
Version : 1.0
Prepared by : Yara Product Classifications & Regulations.

|| Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein, since all materials may represent unknown hazards and should be used with caution. Final determination of the suitability of any

material is the sole responsibility of the user.